

# Pullman Chair



## About Pullman Chair


Ideal for flexible working environments, the Pullman Chair delivers privacy and comfort with a modern touch to open plan spaces—from busy offices to university communal areas. Position the chair alone for independent work or place chairs together for small group collaboration. The Pullman's high back, upholstered body, and foam construction help provide a level of acoustic comfort needed for focused work without distractions or a quiet retreat. Specifying a swivelling plinth base allows the user to turn more inward, adding an extra level of privacy. Designed to complement the Pullman family of products, the chair maintains visual cohesion across the floorplate. Choose from an array of attractive colours, finishes, and fabrics to tailor Pullman seating to fit into your unique environment. The chair also features a tablet arm to position work and devices comfortably.

## Compliance


- SCS Indoor Advantage™ Gold Certificate
- FSC® certified products available upon request
- naughtone is FISP and ISO14001 certified
- Our seating is designed to meet or exceed all EN performance requirements per BS EN 16139:2013

## Sizes


All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



**PUL15H**  
Pullman Chair with Legs  
mm W 900 D 675 H 1300 Seat 450  
inch W 35.5 D 26.5 H 51 Seat 18



**PUL15HPL**  
Pullman Chair with Upholstered Plinth  
mm W 900 D 675 H 1300 Seat 450  
inch W 35.5 D 26.5 H 51 Seat 18



**PUL15HSW**  
Pullman Chair with Upholstered Plinth  
mm W 900 D 675 H 1300 Seat 450  
inch W 35.5 D 26.5 H 51 Seat 18


## Table Top Options



**White / Black MFMD**  
with reverse chamfer,  
polished MDF edge




**Oak Veneer**  
with reverse chamfer,  
polished MDF edge




**Walnut Veneer**  
with reverse chamfer,  
polished MDF edge


## Leg Finishes



**White / Black Steel Legs  
Standard**



**RAL Powder Coated Legs**  
naughtone Colours



**Two Tone**  
Outer screen / seat & backrest



**Solid Oak Legs**



**Solid Walnut Legs**

## Accessories




**Scatter  
Cushion**



**Power and Data**

## Tablet Arm & Power



**Chair**  
Right hand side only



1 Pullman Chair Pod with Legs

# Pullman

## Chair Pod



2 Pullman Chair Pod with Upholstered Plinth



Pullman Chair Pod designed by naughtone 2021

### About Pullman Chair Pod

Ideal for flexible working environments, the Pullman Chair Pod delivers privacy and comfort with a modern touch to open plan spaces—from busy offices to university communal areas. An extension of the Pullman Chair, this single-seat chair pod boasts extra panels to create an almost full enclosure, helping to provide a level of acoustic comfort needed for focused work or a quiet retreat without distractions.


Designed to complement the Pullman family of products, the chair pod maintains visual cohesion across the floorplate. Choose from an upholstered plinth base or a leg base, as well as an array of attractive colours, finishes, and fabrics to tailor the Pullman to your unique environment. The chair pod also features a tablet arm to position work and devices comfortably.

### Compliance


- SCS Indoor Advantage™ Gold Certificate
- FSC®certified products available upon request
- naughtone is FISP and ISO14001 certified

### Sizes


All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch




**PULPHLA**  
Pullman Chair Pod with Legs  
Screen left  
mm W 900 D 1300 H 1300 Seat 450  
inch W 35.5 D 51 H 51 Seat 18



**PULPHRA**  
Pullman Chair Pod with Legs  
Screen right  
mm W 900 D 1300 H 1300 Seat 450  
inch W 35.5 D 51 H 51 Seat 18



**PULPHLAP**  
Pullman Chair Pod with Upholstered Plinth  
Screen left  
mm W 900 D 1300 H 1300 Seat 450  
inch W 35.5 D 51 H 51 Seat 18



**PULPHRAP**  
Pullman Chair Pod with Upholstered Plinth  
Screen right  
mm W 900 D 1300 H 1300 Seat 450  
inch W 35.5 D 51 H 51 Seat 18


### Table Top Options



**White / Black MFMD**  
with reverse chamfer,  
polished MDF edge



**Oak Veneer**  
with reverse chamfer,  
polished MDF edge



**Walnut Veneer**  
with reverse chamfer,  
polished MDF edge

### Accessories




**Scatter Cushion**




**Power and Data**

### Tablet Arm & Power




**Chair Pod**  
Located same side  
as screen

### Leg Finishes



**White / Black Steel Legs Standard**



**RAL Powder Coated Legs**  
naughtone Colours




**Solid Oak Legs**




**Solid Walnut Legs**

### Other Options



**Two Tone B**  
Seat and Backrest / Outer



**Two Tone C**  
Seat, Backrest, Upper Outer / Plinth


















# Pullman Chair Technical Specifications

## Testing

Our seating is designed to meet or exceed all EN performance requirements per **EN16139:2013**, which includes the following tests:

- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

## Structural Testing Certifications

### PUL15H

Pullman Chair with Legs and Tablet

**BS EN 16139,2013, Level 2**

Static Load 200kg

**ANSI/BIFMA X5.4 - 2012**

Static Load 300lbs

## Flammability

The cold cure foam material has been tested to meet the following standards:

British standard  
**5852:2006 Part 2**

California Technical Bulletin  
**117-2013**

Italian standards  
**UNI 9175-CLASS 1.IM**

The flammability standard of the covering fabric is dependent on the choice made by the customer, details of the flammability rating of specific fabrics can be found on supplier's websites listed below.

[www.kvadrat.dk](http://www.kvadrat.dk)

[www.camirafabrics.com](http://www.camirafabrics.com)

[www.butefabrics.com](http://www.butefabrics.com)

[www.panaz.com](http://www.panaz.com)

[www.maharam.com](http://www.maharam.com)

[www.vescom.com](http://www.vescom.com)

[www.ultrafabricsllc.com](http://www.ultrafabricsllc.com)

[www.crestleather.com](http://www.crestleather.com)

## Servicing




If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

## Warranty



naughtone offers a **10 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at [naughtone.com/warranty](http://naughtone.com/warranty)


## Pullman Chair Technical Specifications




| Product Code and Description<br><small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small> | A Width Overall | B Depth Overall | C Height Overall | D Seat Height Floor to top of seat | E Seat Width | F Height from Seat to Top | G Surround Thickness | H Tablet Diameter | I Weight |
|---|-----------------|-----------------|------------------|------------------------------------|--------------|---------------------------|----------------------|-------------------|----------|
|---|-----------------|-----------------|------------------|------------------------------------|--------------|---------------------------|----------------------|-------------------|----------|

|  |                   |                   |                  |                 |                 |                 |               |                 |                    |
|--|-------------------|-------------------|------------------|-----------------|-----------------|-----------------|---------------|-----------------|--------------------|
| <b>1</b> <b>PUL15H</b><br>Pullman Chair with Legs                            | 900 mm<br>35.5 in | 675 mm<br>26.5 in | 1300 mm<br>51 in | 450 mm<br>18 in | 800 mm<br>31 in | 850 mm<br>34 in | 60 mm<br>2 in | 350 mm<br>14 in | 47.2 kg<br>104 lbs |
| <b>2</b> <b>PUL15HPL</b><br>Pullman Chair with Upholstered Plinth            | 900 mm<br>35.5 in | 675 mm<br>26.5 in | 1300 mm<br>51 in | 450 mm<br>18 in | 800 mm<br>31 in | 850 mm<br>34 in | 60 mm<br>2 in | 350 mm<br>14 in | 53.5 kg<br>118 lbs |
| <b>3</b> <b>PUL15HSW</b><br>Pullman Chair with Upholstered Swivelling Plinth | 900 mm<br>35.5 in | 675 mm<br>26.5 in | 1300 mm<br>51 in | 450 mm<br>18 in | 800 mm<br>31 in | 850 mm<br>34 in | 60 mm<br>2 in | 350 mm<br>14 in | 60.1 kg<br>133 lbs |

### Measuring Guide




## Pullman Chair Pod Technical Specifications



| Product Code and Description<br><small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small> | A Width Overall | B Depth Overall | C Height Overall | D Seat Height Floor to top of seat | E Seat Width | F Height from Seat to Top | G Entrance Width | I Weight |
|---|-----------------|-----------------|------------------|------------------------------------|--------------|---------------------------|------------------|----------|
|---|-----------------|-----------------|------------------|------------------------------------|--------------|---------------------------|------------------|----------|

|  |                   |                  |                  |                 |                   |                   |                   |                    |
|--|-------------------|------------------|------------------|-----------------|-------------------|-------------------|-------------------|--------------------|
| <b>1</b> <b>PULPHLA / PULPHRA</b><br>Pullman Chair Pod with Legs                 | 900 mm<br>35.5 in | 1300 mm<br>51 in | 1300 mm<br>51 in | 450 mm<br>18 in | 800 mm<br>31.5 in | 850 mm<br>33.5 in | 575 mm<br>22.5 in | 91.5 kg<br>202 lbs |
| <b>2</b> <b>PULPHLAP / PULPHRAP</b><br>Pullman Chair Pod with Upholstered Plinth | 900 mm<br>35.5 in | 1300 mm<br>51 in | 1300 mm<br>51 in | 450 mm<br>18 in | 800 mm<br>31.5 in | 850 mm<br>33.5 in | 575 mm<br>22.5 in | 92.5 kg<br>204 lbs |

### Measuring Guide



# Pullman Chair Environmental Product Summary



## Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®** certified
- **42.7kg** total weight
- **15.7% Recyclable** (foam, fixings, legs, brackets and plastic fixtures)
- **71.3% Reusable** (frame, table top)
- **23.2% Recycled Content** (foam, fixings, legs, brackets, plastic fixtures and table top)
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)


These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




# Pullman Chair Environmental Product Summary

## Material Percentage Split


- 47.3% Birch Plywood
- 14.9% MDF
- 13% Fabric
- 9% Particleboard
- 7.3% Mild Steel
- 6.5% CMHR Foam
- 1% Mild Steel Zinc Plated
- <1% Stainless Steel
- <1% Polypropylene
- <1% Polyethylene



## Post Consumer Recycled Content



## Recyclable Content



## Product Specific Design Statement

The **Pullman** Chair is available in a range of finishes but for the purpose of this document we have a specific example from the range:

### Pullman Chair with Steel Legs and Tablet

The Pullman Chair frame is constructed from plywood and particle board then topped with CMHR foams before being upholstered.

The Pullman Chair legs are made from laser cut folded mild steel with the individual laser cut components being folded allowing for minimal additional welding. The legs are finished with a zinc primed polyester powder coat.

The tablet top is CNC cut from white Melamine Faced Medium-density fibreboard, with the raw edge polished and finished with a hard-wearing spray lacquer.

## CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC®** certified upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.



FSC® certified products available upon request



naughtone offers PEFC certified products





## 1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

## 2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

## 3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

## 4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

## 5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

## 6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

### UK Showroom

6 Bakers Yard  
Clerkenwell  
London EC1R3DD  
T: +44 (0)20 389 22 788

### US Showroom

Suite 11-88  
222 Merchandise Mart Plaza  
Floor 11  
Chicago IL 60654

### naughtone HQ

Knaresborough Tech Park  
Manse Lane  
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500  
E: sales@naughtone.com

[www.naughtone.com](http://www.naughtone.com)