

# pullman

Booth

## About Pullman

Taking its name from the old train carriages, Pullman is a luxurious and private collaboration space developed with AV integration in mind. Pullman is an acoustic haven and has discrete cable management built in, making it ideal for breakout, small meetings or individual working.


## Compliance

- SCS Indoor Advantage™ Gold Certificate
- FSC®certified products available upon request
- naughtone is FISP and ISO14001 certified
- Our seating is designed to meet or exceed all EN performance requirements per BS EN 16139:2013




## Sizes


All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch




**PULB2H**  
Pullman 2 Seat Booth  
mm W 1950 D 1300 H 1300 Seat 450  
inch W 77 D 47 H 51 Seat 18



**PULB3H**  
Pullman 3 Seat Booth  
mm W 1950 D 1900 H 1300 Seat 450  
inch W 77 D 75 H 51 Seat 18



**PULBW2H**  
Pullman 2 Seat Booth Wide  
mm W 2250 D 1300 H 1300 Seat 450  
inch W 88.5 D 51 H 51 Seat 18



**PULBW3H**  
Pullman 3 Seat Booth Wide  
mm W 2250 D 1900 H 1300 Seat 450  
inch W 88.5 D 75 H 51 Seat 18

## Table Top Options



White / Black MFMD  
edge banded



White / Black MFMD  
with reverse chamfer,  
polished MDF edge



Forbo Lino  
with reverse chamfer edge  
8 colours available




Oak Veneer  
with reverse chamfer,  
polished MDF edge




Walnut Veneer  
with reverse chamfer,  
polished MDF edge


## Base Finishes



White / Black Steel Legs  
Standard



RAL Powder Coated Legs  
naughtone Colours



Two Tone  
Seat / All Sides




Solid Oak Legs




Solid Walnut Legs

## Accessories



Panda Power and Data



TV Mounting Bracket  
to fit 13" to 27" screen  
(TV not included)



Magnetic White Board  
accessory supplied with  
magnets

## NaughtOne RAL Colours

















# Pullman Booth Technical Specifications



Product Code and Description	A Width	B Depth	C Height Overall	D Seat Height	E Seat Width	F Height from Seat to Top	G Surround Thickness	H Table Length	I Table Width widest point	J Table Width thinnest point	K Space Between Sofas	L Weight
<b>1</b> PULB2H Pullman 2 Seat Booth	1950 mm 77 in	1300 mm 51 in	1300 mm 51 in	450 mm 18 in	1180 mm 46.5 in	850 mm 34 in	60 mm 2 in	850 mm 33.5 in	595 mm 23.5 in	455 mm 18 in	600 mm 23.5	178 kg 392 lbs
<b>2</b> PULB3H Pullman 3 Seat Booth	1950 mm 77 in	1900 mm 75 in	1300 mm 25.5 in	450 mm 18 in	1780 mm 70 in	850 mm 34 in	60 mm 2 in	1450 mm 57 in	595 mm 23.5 in	455 mm 18 in	600 mm 23.5	219 kg 483 lbs
<b>3</b> PULBW2H Pullman 2 Seat Booth Wide	2250 mm 88.5 in	1300 mm 51 in	1300 mm 51 in	450 mm 18 in	1180 mm 46.5 in	850 mm 34 in	60 mm 2 in	950 mm 37.5 in	950 mm 37.5 in	675 mm 26.5 in	900 mm 35.5	189 kg 417 lbs
<b>4</b> PULBW3H Pullman 3 Seat Booth Wide	2250 mm 88.5 in	1900 mm 75 in	1300 mm 25.5 in	450 mm 18 in	1780 mm 70 in	850 mm 34 in	60 mm 2 in	1550 mm 61 in	950 mm 37.5 in	675 mm 26.5 in	900 mm 35.5	233 kg 514 lbs

## Measuring Guide





# Pullman Booth Technical Specifications

## Testing

Our seating is designed to meet or exceed all EN performance requirements per **EN16139:2013**, which includes the following tests:

- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

## Structural Testing Certifications

### PULB2H

Pullman 2 Seat Booth

**BS EN 16139,2013, Level 2**

**BSEN 15372:2016 Level 2**

Static Load 200kg

## Flammability

The cold cure foam material has been tested to meet the following standards:

British standard  
**5852:2006 Part 2**

California Technical Bulletin  
**117-2013**

Italian standards  
**UNI 9175-CLASS 1.IM**

The flammability standard of the covering fabric is dependent on the choice made by the customer, details of the flammability rating of specific fabrics can be found on supplier's websites listed below.

[www.kvadrat.dk](http://www.kvadrat.dk)

[www.camirafabrics.com](http://www.camirafabrics.com)

[www.butefabrics.com](http://www.butefabrics.com)

[www.panaz.com](http://www.panaz.com)

[www.maharam.com](http://www.maharam.com)

[www.vescom.com](http://www.vescom.com)

[www.ultrafabricsllc.com](http://www.ultrafabricsllc.com)

[www.crestleather.com](http://www.crestleather.com)

## Servicing



If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

## Warranty



naughtone offers a **10 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at [naughtone.com/warranty](http://naughtone.com/warranty)


# Pullman Booth Environmental Product Summary




# Pullman Booth Environmental Product Summary

## Material Percentage Split


- 52.4% Beech Plywood
- 17.0% MDF
- 11.5% Particleboard
- 7.6% CMHR Foam
- 6.3% Mild Steel
- 4.2% Fabric
- 0.6% Stainless Steel
- 0.5% Mild Steel Zinc Plated



## Post Consumer Recycled Content



## Recyclable Content



## Product Specific Design Statement

The Pullman Booth is available in a range of sizes and finishes but for the purpose of this document we have a specific example from the range:

### Pullman 3 Seat Booth with Steel Legs

The Pullman Booth frame is constructed from plywood and particle board then topped with CMHR foams before being upholstered.

The Pullman Booth legs are made from laser cut folded mild steel with the individual laser cut components being folded allowing for minimal additional welding. The legs are finished with a zinc primed polyester powder coat.

The table top is CNC cut from white Melamine Faced Medium-density fibreboard, with the raw edge polished and finished with a hard-wearing spray lacquer.

## CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer FSC®certified upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

## Environment Attributes

- naughtone is FISP and ISO14001 certified
- naughtone is FSC®certified
- 178kg total weight
- 13.9% Recyclable (foam, fixings, legs, brackets and plastic fixtures)
- 75.3% Reusable (frame, table top)
- 89.2% Recycled Content (foam, fixings, legs, brackets, plastic fixtures and table top)
- Indoor Advantage™ Gold ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)

These attributes can help you to achieve criteria towards LEED, BREEAM, Ska and WELL building certifications



FSC® certified products available upon request  
naughtone offers PEFC certified products

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover. Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages. This document will be reviewed and updated periodically and is subject to change without notice.



## 1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

## 2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

## 3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

## 4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

## 5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

## 6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

### UK Showroom

6 Bakers Yard  
Clerkenwell  
London EC1R3DD  
T: +44 (0)20 389 22 788

### US Showroom

Suite 11-88  
222 Merchandise Mart Plaza  
Floor 11  
Chicago IL 60654

### naughtone HQ

Knaresborough Tech Park  
Manse Lane  
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500  
E: sales@naughtone.com

[www.naughtone.com](http://www.naughtone.com)